

OMEGA LAMINADO EN FRÍO

DIMENSION			e	S	Peso	I _{xx}	I _{yy}	W _{xx}	W _{yy}	i _x	i _y
H	b	C	mm	cm ²	Kg/ml	cm ⁴	cm ⁴	cm ³	cm ³	cm	cm
30	30	17	1,0	1,17	0,91	1,65	3,15	1,06	1,01	1,18	1,64
30	30	17	2,0	2,21	1,69	2,87	5,59	1,85	1,86	1,29	1,59
40	40	17	1,0	1,47	1,14	3,61	5,97	1,73	1,65	1,56	2,01
40	40	17	2,0	2,81	2,16	6,48	10,83	3,11	3,09	1,51	1,96
50	40	20	1,0	1,73	1,27	6,48	7,58	2,59	1,94	1,93	2,09
50	40	20	2,0	3,33	2,41	11,84	13,88	4,73	3,65	1,88	2,04
50	50	20	2,0	3,53	2,73	12,92	21,07	4,90	4,90	1,91	2,44
60	50	25	2,0	4,13	3,04	21,77	27,52	7,25	5,73	2,29	2,58
60	50	25	2,5	5,06	3,72	26,01	33,06	8,67	6,96	2,26	2,55
80	50	25	2,0	4,93	3,35	63,44	32,13	10,86	6,69	1,85	2,55
80	50	25	3,0	7,20	4,85	61,14	45,03	15,28	9,58	2,91	2,50
100	50	25	2,0	5,73	3,67	74,98	36,74	14,99	7,65	3,61	2,53
100	50	25	3,0	8,40	5,32	106,45	51,66	21,29	10,99	3,55	2,48

